

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. — This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

Company Name Phihong Technology CO., LTD Other Name

dress No. 568, Fuxing 3rd Road, Guishan District, Taoyuan City Taiwan 33383 Taiwan

Client ID 107414 Global-Mark File Number: 107414-035

Certificate Number & Approval Mark GMA-520498-EA Revision Number 00

Certification Standard(s) AS/NZS 62368.1:2022 & AS/NZS 3112:2017 App J including A1 Audio/video, information and communication

technology equipment - Safety requirements

Type of Certification Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date 15/10/2024

Certificate Last Update Date

Certification Expiry Date 15/10/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager







System 1 Approval



CERTIFIED ELECTRICAL EQUIPMENT					
Declared Article	Product Description	Trade Name	Model Number	Rating	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S050200	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 5.0Vdc, 2.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV050200	Input: 100-240Vac, 50/60Hz, 0.4A	
_				Output: 5.0Vdc, 2.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T050200	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 5.0Vdc, 2.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S059169	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 5.9Vdc, 1.69A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV059169	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 5.9Vdc, 1.69A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T059169	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 5.9Vdc, 1.69A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S060166	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 6.0Vdc, 1.66A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV060166	Input: 100-240Vac, 50/60Hz, 0.4A	
	V			Output: 6.0Vdc, 1.66A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T060166	Input: 100-240Vac, 50/60Hz, 0.4A	
	V			Output: 6.0Vdc, 1.66A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S062161	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 6.2Vdc, 1.61A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV062161	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 6.2Vdc, 1.61A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T062161	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 6.2Vdc, 1.61A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S075133	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 7.5Vdc, 1.33A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV075133	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 7.5Vdc, 1.33A	

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T075133	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10S090111	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 9.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10SV090111	Input: 100-240Vac, 50/60Hz, 0.4A
		A Company of the Comp		Output: 9.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA10T090111	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 9.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S050240	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 2.4A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV050240	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 2.4A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T050240	Input: 100-240Vac, 50/60Hz, 0.4A
	p			Output: 5.0Vdc, 2.4A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S059203	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.03A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV059203	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.03A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T059203	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.03A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S060200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV060200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T060200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S062193	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 1.93A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV062193	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 1.93A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager









		1/2		<u> </u>	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T062193	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 6.2Vdc, 1.93A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S075160	Input: 100-240Vac, 50/60Hz, 0.4A	A
				Output: 7.5Vdc, 1.6A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV075160	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 7.5Vdc, 1.6A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T075160	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 7.5Vdc, 1.6A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S084130	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 8.4Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV084130	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 8.4Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T084130	Input: 100-240Vac, 50/60Hz, 0.4A	100
				Output: 8.4Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S090130	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 9.0Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV090130	Input: 100-240Vac, 50/60Hz, 0.4A	7
				Output: 9.0Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T090130	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 9.0Vdc, 1.3A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S120100	Input: 100-240Vac, 50/60Hz, 0.4A	/
				Output: 12.0Vdc, 1.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV120100	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 12.0Vdc, 1.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T120100	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 12.0Vdc, 1.0A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S135088	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 13.5Vdc, 0.88A	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV135088	Input: 100-240Vac, 50/60Hz, 0.4A	
				Output: 13.5Vdc, 0.88A	

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager









Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T135088	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 0.88A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S150080	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 0.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV150080	Input: 100-240Vac, 50/60Hz, 0.4A
		4		Output: 15.0Vdc, 0.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T150080	Input: 100-240Vac, 50/60Hz, 0.4A
-		3		Output: 15.0Vdc, 0.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S180066	Input: 100-240Vac, 50/60Hz, 0.4A
-				Output: 18.0Vdc, 0.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV180066	Input: 100-240Vac, 50/60Hz, 0.4A
-				Output: 18.0Vdc, 0.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T180066	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12S240050	Input: 100-240Vac, 50/60Hz, 0.4A
-				Output: 24.0Vdc, 0.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12SV240050	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA12T240050	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S050250	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV050250	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T050250	Input: 100-240Vac, 50/60Hz, 0.4A
-				Output: 5.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S059211	Input: 100-240Vac, 50/60Hz, 0.4A
		2		Output: 5.9Vdc, 2.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV059211	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.11A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T059211	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S060208	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV060208	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T060208	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S062201	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 2.01A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV062201	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 2.01A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T062201	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 2.01A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S075166	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV075166	Input: 100-240Vac, 50/60Hz, 0.4A
		14		Output: 7.5Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T075166	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S120104	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV120104	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T120104	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S135092	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 0.92A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV135092	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 0.92A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Here Hohe







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T135092	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 0.92A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S150083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV150083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T150083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S180069	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.69A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV180069	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.69A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T180069	Input: 100-240Vac, 50/60Hz, 0.4A
	A second			Output: 18.0Vdc, 0.69A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S240052	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV240052	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T240052	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S300041	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 30.0Vdc, 0.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV300041	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 30.0Vdc, 0.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T300041	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 30.0Vdc, 0.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S050300	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 3.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV050300	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.0Vdc, 3.0A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Jen Hoha







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T050300	Input: 100-240Vac, 50/60Hz, 0.4A
		/ · · · · · · · · · · · · · · · · · · ·		Output: 5.0Vdc, 3.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S059254	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.54A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV059254	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.54A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T059254	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.54A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S060250	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV060250	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 6.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T060250	Input: 100-240Vac, 50/60Hz, 0.4A
	A STATE OF THE STA			Output: 6.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S062241	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 6.2Vdc, 2.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV062241	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 2.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T062241	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 6.2Vdc, 2.41A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S075200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV075200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T075200	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S120125	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV120125	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.25A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Jen Hoha







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T120125	Input: 100-240Vac, 50/60Hz, 0.4A
		· / ·		Output: 12.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S135111	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV35111	Input: 100-240Vac, 50/60Hz, 0.4A
		4		Output: 13.5Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T135111	Input: 100-240Vac, 50/60Hz, 0.4A
_		3		Output: 13.5Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S150100	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 15.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV150100	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T150100	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 15.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S180083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV180083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T180083	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S240062	Input: 100-240Vac, 50/60Hz, 0.4A
	V			Output: 24.0Vdc, 0.62A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV240062	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.62A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T240062	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.62A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S300052	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 30.0Vdc, 0.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV300052	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 30.0Vdc, 0.52A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Here Hohe







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T300052	Input: 100-240Vac, 50/60Hz, 0.4A
		A		Output: 30.0Vdc, 0.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S059264	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 5.9Vdc, 2.64A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV059264	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 5.9Vdc, 2.64A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T059264	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 5.9Vdc, 2.64A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S060260	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 6.0Vdc, 2.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV060260	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 6.0Vdc, 2.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T060260	Input: 100-240Vac, 50/60Hz, 0.4A
	A STATE OF THE STA			Output: 6.0Vdc, 2.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S075208	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 7.5Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV075208	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T075208	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 7.5Vdc, 2.08A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S120130	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.3A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV120130	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.3A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T120130	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 12.0Vdc, 1.3A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S135115	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 1.15A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV135115	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 13.5Vdc, 1.15A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Jen Hoha







			_	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T135115	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 13.5Vdc, 1.15A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S150104	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 15.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV150104	Input: 100-240Vac, 50/60Hz, 0.4A
_		4		Output: 15.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T150104	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 15.0Vdc, 1.04A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S180086	Input: 100-240Vac, 50/60Hz, 0.4A
_				Output: 18.0Vdc, 0.86A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV180086	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.86A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T180086	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 18.0Vdc, 0.86A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15S240065	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.65A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15SV240065	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.65A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA15T240065	Input: 100-240Vac, 50/60Hz, 0.4A
				Output: 24.0Vdc, 0.65A

RELEVANT TRADEMARK (S)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager









COMMENTS OR CONDITIONS ON THE CERTIFICATION

For use with AV/IT equipment

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



