

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. — This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

	CERTIFICATION	AND CERTIFICATE HOLDER DETAILS	
--	---------------	--------------------------------	--

Company Name Phihong Technology CO., LTD Other Name

Idress No. 568, Fuxing 3rd Road, Guishan District, Taoyuan City Taiwan 33383 Taiwan

Client ID 107414 Global-Mark File Number: 107414-036

Certificate Number & Approval Mark GMA-520499-EA Revision Number 00

Certification Standard(s) AS/NZS 62368.1:2022 & AS/NZS 3112:2017 App J including A1 Audio/video, information and communication

technology equipment - Safety requirements

Type of Certification Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme

#### **CERTIFICATE DATES**

Certificate Issue Date 15/10/2024

Certificate Last Update Date

Certification Expiry Date 15/10/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



Certification Manager



Global-Mark.com.au<sup>®</sup>



System 1 Approval



CERTIFIED ELECTRICAL E	CERTIFIED ELECTRICAL EQUIPMENT					
Declared Article	<b>Product Description</b>	Trade Name	Model Number	Rating		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S050350	Input: 100-240Vac, 50/60Hz, 0.6A;		
117				Output: 5.0Vdc, 3.5A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T050350	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 5.0Vdc, 3.5A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W050350	Input: 100-240Vac, 50/60Hz, 0.6A;		
_				Output: 5.0Vdc, 3.5A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S059305	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 5.9Vdc, 3.05A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T059305	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 5.9Vdc, 3.05A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W059305	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 5.9Vdc, 3.05A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S070257	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.0Vdc, 2.57A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T070257	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.0Vdc, 2.57A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W070257	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.0Vdc, 2.57A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S075240	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.5Vdc, 2.4A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T075240	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.5Vdc, 2.4A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W075240	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 7.5Vdc, 2.4A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S085211	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 8.5Vdc, 2.11A		
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T085211	Input: 100-240Vac, 50/60Hz, 0.6A;		
				Output: 8.5Vdc, 2.11A		

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W085211	Input: 100-240Vac, 50/60Hz, 0.6A;
		A		Output: 8.5Vdc, 2.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S090200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T090200	Input: 100-240Vac, 50/60Hz, 0.6A;
		4		Output: 9.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W090200	Input: 100-240Vac, 50/60Hz, 0.6A;
		3		Output: 9.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S100180	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 10.0Vdc, 1.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T100180	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 10.0Vdc, 1.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W100180	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 10.0Vdc, 1.8A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S110163	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 11.0Vdc, 1.63A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T110163	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 11.0Vdc, 1.63A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W110163	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 11.0Vdc, 1.63A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S120150	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 1.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T120150	Input: 100-240Vac, 50/60Hz, 0.6A;
-				Output: 12.0Vdc, 1.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W120150	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 1.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S135133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T135133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.33A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Jen Hoha







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W135133	Input: 100-240Vac, 50/60Hz, 0.6A;
D 0 1 01	C to be D C 1	Dimiona	DV/4100150120	Output: 13.5Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S150120	Input: 100-240Vac, 50/60Hz, 0.6A;
		file.		Output: 15.0Vdc, 1.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T150120	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 1.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W150120	Input: 100-240Vac, 50/60Hz, 0.6A;
_		3		Output: 15.0Vdc, 1.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S160112	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.12A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T160112	Input: 100-240Vac, 50/60Hz, 0.6A;
11 )				Output: 16.0Vdc, 1.12A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W160112	Input: 100-240Vac, 50/60Hz, 0.6A;
117				Output: 16.0Vdc, 1.12A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S180100	Input: 100-240Vac, 50/60Hz, 0.6A;
11 7 8	8 117			Output: 18.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T180100	Input: 100-240Vac, 50/60Hz, 0.6A;
saft ) = 1 8	s and			Output: 18.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W180100	Input: 100-240Vac, 50/60Hz, 0.6A;
comes supply of comeges	ss s supply			Output: 18.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18S240075	Input: 100-240Vac, 50/60Hz, 0.6A;
Tower suppry or charger	Switching Fower Suppry	Timion	1111105210075	Output: 24.0Vdc, 0.75A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18T240075	Input: 100-240Vac, 50/60Hz, 0.6A;
Tower suppry or charger	Switching Fower Suppry	Timiond	111101210073	Output: 24.0Vdc, 0.75A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA18W240075	Input: 100-240Vac, 50/60Hz, 0.6A;
Tower suppry or Charger	Switching rower suppry	Timiong	1 1/110 W 2TOU/3	Output: 24.0Vdc, 0.75A
Down Cumby on Charren	Curitahing Daway Cumply	PHIHONG	PYA20S059338	1
Power Supply or Charger	Switching Power Supply	FIIITONG	F1A203039338	Input: 100-240Vac, 50/60Hz, 0.6A;
D 0 1 01	C v lv D C l	DIMIONG	DVA 2070 50220	Output: 5.9Vdc, 3.38A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T059338	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 5.9Vdc, 3.38A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W059338	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 5.9Vdc, 3.38A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S070285	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.0Vdc, 2.85A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T070285	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.0Vdc, 2.85A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W070285	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.0Vdc, 2.85A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S075266	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T075266	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W075266	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S085235	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.5Vdc, 2.35A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T085235	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.5Vdc, 2.35A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W085235	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.5Vdc, 2.35A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S090222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 2.22A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T090222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 2.22A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W090222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 2.22A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S100200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 10.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T100200	Input: 100-240Vac, 50/60Hz, 0.6A;
117				Output: 10.0Vdc, 2.0A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W100200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 10.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S110181	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 11.0Vdc, 1.81A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T110181	Input: 100-240Vac, 50/60Hz, 0.6A;
		4		Output: 11.0Vdc, 1.81A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W110181	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 11.0Vdc, 1.81A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S120166	Input: 100-240Vac, 50/60Hz, 0.6A;
_				Output: 12.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T120166	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W120166	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S135148	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.48A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T135148	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.48A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W135148	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.48A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S150133	Input: 100-240Vac, 50/60Hz, 0.6A;
	V			Output: 15.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T150133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W150133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S160125	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T160125	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.25A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Here Hohe







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W160125	Input: 100-240Vac, 50/60Hz, 0.6A;
B 0 1 0		DI WILLOWS		Output: 16.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S180111	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T180111	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W180111	Input: 100-240Vac, 50/60Hz, 0.6A;
-				Output: 18.0Vdc, 1.11A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20S240083	Input: 100-240Vac, 50/60Hz, 0.6A;
11 )				Output: 24.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20T240083	Input: 100-240Vac, 50/60Hz, 0.6A;
117				Output: 24.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA20W240083	Input: 100-240Vac, 50/60Hz, 0.6A;
117				Output: 24.0Vdc, 0.83A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S070342	Input: 100-240Vac, 50/60Hz, 0.6A;
117 8	8 117		19	Output: 7.0Vdc, 3.42A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T070342	Input: 100-240Vac, 50/60Hz, 0.6A;
117 8	8 117			Output: 7.0Vdc, 3.42A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W070342	Input: 100-240Vac, 50/60Hz, 0.6A;
117 8	8 117			Output: 7.0Vdc, 3.42A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S075320	Input: 100-240Vac, 50/60Hz, 0.6A;
117 8	8 117			Output: 7.5Vdc, 3.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T075320	Input: 100-240Vac, 50/60Hz, 0.6A;
117 8	8 117			Output: 7.5Vdc, 3.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W075320	Input: 100-240Vac, 50/60Hz, 0.6A;
11 7 8	0 117			Output: 7.5Vdc, 3.2A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S085282	Input: 100-240Vac, 50/60Hz, 0.6A;
11 7 8	0 117			Output: 8.5Vdc, 2.82A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T085282	Input: 100-240Vac, 50/60Hz, 0.6A;
50 Supply of Com. 80	8 - and sarry		1100000	Output: 8.5Vdc, 2.82A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 









Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W085282	Input: 100-240Vac, 50/60Hz, 0.6A;
		/		Output: 8.5Vdc, 2.82A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S090266	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T090266	Input: 100-240Vac, 50/60Hz, 0.6A;
_		4		Output: 9.0Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W090266	Input: 100-240Vac, 50/60Hz, 0.6A;
_		3		Output: 9.0Vdc, 2.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S120200	Input: 100-240Vac, 50/60Hz, 0.6A;
_				Output: 12.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T120200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W120200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S135177	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.77A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T135177	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.77A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W135177	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 1.77A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S150160	Input: 100-240Vac, 50/60Hz, 0.6A;
	V			Output: 15.0Vdc, 1.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T150160	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 1.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W150160	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 1.6A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S160150	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T160150	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.5A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W160150	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S180133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T180133	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W180133	Input: 100-240Vac, 50/60Hz, 0.6A;
_				Output: 18.0Vdc, 1.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24S240100	Input: 100-240Vac, 50/60Hz, 0.6A;
_				Output: 24.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24T240100	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA24W240100	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S075350	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 3.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T075350	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 3.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W075350	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 7.5Vdc, 3.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S120218	Input: 100-240Vac, 50/60Hz, 0.6A;
	V			Output: 12.0Vdc, 2.18A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T120218	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.18A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W120218	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.18A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S240109	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.09A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T240109	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.09A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 







			-	
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W240109	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.09A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S081370	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.1Vdc, 3.7A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T081370	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.1Vdc, 3.7A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W081370	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.1Vdc, 3.7A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S085352	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.5Vdc, 3.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T085352	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 8.5Vdc, 3.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W085352	Input: 100-240Vac, 50/60Hz, 0.6A;
		3		Output: 8.5Vdc, 3.52A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S090333	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 3.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T090333	Input: 100-240Vac, 50/60Hz, 0.6A;
		124		Output: 9.0Vdc, 3.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W090333	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 9.0Vdc, 3.33A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S120250	Input: 100-240Vac, 50/60Hz, 0.6A;
	V			Output: 12.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T120250	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W120250	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 12.0Vdc, 2.5A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S135222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 2.22A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T135222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 2.22A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Here Hohe







Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W135222	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 13.5Vdc, 2.22A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S150200	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 15.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T150200	Input: 100-240Vac, 50/60Hz, 0.6A;
_				Output: 15.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W150200	Input: 100-240Vac, 50/60Hz, 0.6A;
		3		Output: 15.0Vdc, 2.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S160187	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.87A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T160187	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.87A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W160187	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 16.0Vdc, 1.87A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S180166	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T180166	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W180166	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 18.0Vdc, 1.66A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S240125	Input: 100-240Vac, 50/60Hz, 0.6A;
	V			Output: 24.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T240125	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30W240125	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 24.0Vdc, 1.25A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30S300100	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 30.0Vdc, 1.0A
Power Supply or Charger	Switching Power Supply	PHIHONG	PYA30T300100	Input: 100-240Vac, 50/60Hz, 0.6A;
				Output: 30.0Vdc, 1.0A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.




**Certification Manager** 







Power Supply or Charger Switching Power Supply PHIHONG PYA30W300100 Input: 100-240Vac, 50/60Hz, 0.6A; Output: 30.0Vdc, 1.0A



#### COMMENTS OR CONDITIONS ON THE CERTIFICATION

For use with AV/IT equipment

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Jen Hoha



